

2 Ton LV Wall Mount FTXS24WVJU9

FEATURES

12 Year limited Warranty for Parts and Compressor

BENEFITS

Quiet operation





2 Ton LV Wall Mount FTXS24WVJU9


ELECTRICAL		PIPING	
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1	Gas Connection: (inch)	5/8
Running Current (A): (Rated amps)		Liquid Connection: (inch)	1/4
Power Consumption (W): (Rated watts)		Drain Connection: (inch)	5/8

SPECIFICATIONS								
COOLING - A	Airflow Rate (cfm):	COOLING - S	Sound Level (dBA):	HEATING -	Airflow Rate (cfm):	HEATING - S	Sound Level (dBA):	
High:	643	High:	51	High:	699	High:	48	
Med:	494	Med:	44	Med:	572	Med:	42	
Low:	350	Low:	37	Low:	445	Low:	37	
SuperLow:	328	SuperLow:	34	SuperLow:	403	SuperLow:	34	
Dimensions (HxV	VxD) (in):	13-3/8 x 41-5/16	x 9-3/4	Net Weight (lb)	:	31		



2 Ton LV Wall Mount FTXS24WVJU9

DIMENSIONAL DRAWING



Submittal Date: 3/17/2024 5:34:28 AM

Page 3 of 4



2 Ton LV Wall Mount FTXS24WVJU9

ACCESSORIES

PART
NUMBER

DESCRIPTION

INCLUDED

AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor for Single- and Multi-Zone System (S21)	No
AZAI6WSPDKC	DKN Plus Interface	No
BRC944B2-A08	Wired Remote Controller kit	No
BRCW901A03	BRC944B2 CONTROL CABLE, 10FT	No
BRCW901A08	Wired Remote Controller Cord - 8m/26ft	No
DACA-ARCW901P10	IR Receiver Cable, Plenum Rated, 10ft	No
DACA-ARCW901P25	IR Receiver Cable, Plenum Rated, 25ft	No
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10ft	No
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25ft	No
DACA-CP1-1	Mini Aqua Condensate Pump	No
DACA-CP4-1	MINI WHITE PUMP KIT 100-250V	No
DTST-LTE-LA-A	Daikin One Lite (with Translation Adaptor for S21 only)	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for VRV, SkyAir, Single- and Multi-Zone System	No
KAF970A46	Titanium apatite photocatalytic air-purifying filter WITHOUT frame	No
KRP928BB2S	RA Interface Adaptor for DIII-Net -	No