Submittal Data Sheet

VISTA 1.5 Ton 2 X 2 Ceiling Cassette

FFQ18W2VJU9

FEATURES

- 12 Year limited registered Warranty

BENEFITS

- Stylish indoor panels
- Quiet operation

NOTES

- One Controller and one decor panel required.

Daikin North America LLC, 19001 Kermier Rd, Waller, TX 77484

Daikin City Generated Submittal Data

www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Date: 3/17/2024 5:34:32 AM

Page 1 of 5

DAIKIN

Submittal Data Sheet
VISTA 1.5 Ton 2 X 2 Ceiling Cassette

FFQ18W2VJU9

ELECTRICAL		PIPING	
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1	Gas Connection: (inch)	1/2
Running Current (A): (Rated amps)		Liquid Connection: (inch)	1/4
Power Consumption (W): (Rated watts)		Drain Connection: (inch)	1-1/32

SPECIFICATIONS

COOLING - Airflow Rate (cfm):		COOLING - Sound Level (dBA):		HEATING - Airflow Rate (cfm):		HEATING - Sound Level (dBA):	
High:	448	High:	44	High:	498	High:	44
Med:	378	Med:	40	Med:	420	Med:	40
Low:	275	Low:	32	Low:	307	Low:	32
SuperLow:		SuperLow:		SuperLow:		SuperLow:	
Dimensions (HxWxD) (in):		10-1/4 x 22-5/8 x 22-5/8		Net Weight (lb):		39	

DIMENSIONAL DRAWING

FFQ09/12/15/18W2VJU8 with BYFQ60C3W2W (Decoration Panel)

NOTE) 1. STICKING LOCATION FOR MANUFACTURE'S LABEL
MANUFACTURE'S LABEL FOR INDOOR UNIT: ON THE BELL MOUTH INSIDE SUCTION GRILLE
MANUFACTURE'S LABEL FOR DECORATION PANEL : ON THE INNER FRAME INSIDE SUCTION GRILLE
2. IN CASE OF USING WIRELESS REMOTE CONTROLLER, THIS POSITION WILL BE A SIGNAL RECEIVER.
REFER TO THE DRAWING OF WIRELESS REMOTE CONTROLLER IN DETAIL.
3. WHEN THE TEMPERATURE AND HUMIDITY IN THE CEILING EXCEED 86° F (30°C) AND RH 80% OR THE FRESH AIR
IS INDUCTED INTO THE CEILING OR THE UNIT CONTINUES 24 HOUR OPERATION, AN ADDITIONAL
INSULATION (THICKNESS 3/8(10) OR MORE OF GLASSWOOL OR POLYETHYLENE FORM) IS REQUIRED.
4. THOUGH THE INSTALLATION IS ACCEPTABLE UP TO MAXIMUM OF 23-7/16(595) SQUARE CEILING OPENING,
KEEP THE CLEARANCE OF 3/8(10) OR LESS BETWEEN THE MAIN UNIT AND THE CEILING OPENING SO THAT
THE PANEL OVERLAP ALLOWANCE CAN BE ENSURED.

MODEL	AA	AB
FFQ09W2VJU8	1/4(6.4)	3/8(9.5)
FFQ12W2VJU8		
FFQ15W2VJU8		1/2(12.7)
FFQ18W2VJU8		

ACCESSORIES

PART NUMBER	DESCRIPTION	INCLUDED
AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor (P1P2)	No
AZAI6WSPDKC	DKN Plus Interface	No
BDBHQ44C60	AIR DISCHARGE CEALING MEMBER	No
BRC082A41W	IR Controller	No
BRC082A42S	IR Controller For BYFQ60C2W1S	No
BRC082A42W	IR Controller For BYFQ60C2W1W	No
BRC1E73	Navigation Remote Controller III(73)	No
BRC1H71W	Madoka Remote Controller	No
BRYQ60A2S	Sensor kit Silver	No
BRYQ60A2W	Sensor kit White	No
BYFQ60B3W1	Decoration Panel	No
BYFQ60C2W1S	Decoration panel Silver	No
BYFQ60C2W1W	Decoration panel White	No
DACA-CP1-1	Mini Aqua Condensate Pump	No
DACA-CP2-1	Maxi Orange Condensate Pump	No
DACA-CP3-1	Si-30 Condensate Pump	No
DCS301C71	Unified On/Off Controller	No
DCS302C71	Centralized Controller	No
DST301BA61	Schedule Timer	No
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat for VRV, SkyAir, Single- and Multi-Zone System	No
KAF441C60	Replacement Long Life Filter	No
KDBQ44BA60A	PANEL SPACER	No
KDDQ44XA60	Fresh Air Intake Kit (Duct Flange)	No
KRCS01-4B	Remote Sensor Kit, (FBQ, FCQ, FTQ, FXFQ, FXMQ, FXTQ)	No

Daikin City Generated Submittal Data

Daikin North America LLC, 19001 Kermier Rd, Waller, TX 77484

www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Date: 3/17/2024 5:34:32 AM

Page 4 of 5

![Daikin Logo]

Submittal Data Sheet
VISTA 1.5 Ton 2 X 2 Ceiling Cassette
FFQ18W2VJU9

ACCESSORIES

PART NUMBER	DESCRIPTION	INCLUDED
KRP1BB101	Adaptor PCB Installation Box	No
KRP1C75	Wiring Adapter PCB	No
KRP4A74	Group Control Adaptor PCB (Installation box for adaptor PCB "KRP1BB101" is necessary)	No

Daikin North America LLC, 19001 Kermier Rd, Waller, TX 77484

Daikin City Generated Submittal Data

www.daikinac.com www.daikincomfort.com

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Date: 3/17/2024 5:34:32 AM

Page 5 of 5