



Submittal Data Sheet

Daikin EMURA 1.5 Ton Inv Wall mount Silver
FTXR18WVJUS9

FEATURES

- IR controller included
- 3-D airflow - Auto-swing (up, down and right, left)
- Intelligent eye occupancy sensor
- Titanium apatite photo catalytic air purifying filter technology
- Hot start technology
- Auto-restart (after power failure)
- Weekly Timer (Up to 4 events per day)
- Comfort Airflow

BENEFITS

- 12 year limited parts and compressor warranty with online registration






Submittal Data Sheet
Daikin EMURA 1.5 Ton Inv Wall mount Silver
FTXR18WVJUS9

| ELECTRICAL | | PIPING | |
|---|-------------------|------------------------------|-------|
| Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages. | *208-230 / 60 / 1 | Gas Connection: (inch) | 1/2 |
| Running Current (A): (Rated amps) | | Liquid Connection: (inch) | 1/4 |
| Power Consumption (W): (Rated watts) | | Drain Connection: (inch) | 11/16 |

| SPECIFICATIONS | | | | | | | |
|-------------------------------|-----|------------------------------|----|-------------------------------|-----|------------------------------|----|
| COOLING - Airflow Rate (cfm): | | COOLING - Sound Level (dBA): | | HEATING - Airflow Rate (cfm): | | HEATING - Sound Level (dBA): | |
| High: | 350 | High: | 46 | High: | 413 | High: | 47 |
| Med: | 275 | Med: | 40 | Med: | 332 | Med: | 41 |
| Low: | 226 | Low: | 35 | Low: | 275 | Low: | 35 |
| SuperLow: | 208 | SuperLow: | 30 | SuperLow: | 208 | SuperLow: | 30 |
| Dimensions (HxWxD) (in): | | 11-15/16 x 39-5/16 x 8-3/8 | | Net Weight (lb): | | 27 | |

Submittal Data Sheet
 Daikin EMURA 1.5 Ton Inv Wall mount Silver
 FTXR18WVJUS9

DIMENSIONAL DRAWING
 FTXR18WVJUW(S)9





Submittal Data Sheet

Daikin EMURA 1.5 Ton Inv Wall mount Silver
FTXR18WVJUS9

ACCESSORIES

| PART NUMBER | DESCRIPTION | INCLUDED |
|----------------|---|----------|
| AZAI6WSCDKB | DKN Residential Cloud Wi-Fi Adaptor for Single- and Multi-Zone System (S21) | No |
| AZAI6WSPDKC | DKN Plus Interface | No |
| BRC944B2-A08 | Wired Remote Controller kit | No |
| BRCW901A03 | BRC944B2 CONTROL CABLE, 10FT | No |
| BRCW901A08 | Wired Remote Controller Cord - 8m/26ft | No |
| BRP072A43 | Daikin Comfort Control WiFi Adaptor | No |
| DACA-CP1-1 | Mini Aqua Condensate Pump | No |
| DACA-CP4-1 | MINI WHITE PUMP KIT 100-250V | No |
| DCS301C71 | Unified On/Off Controller | No |
| DCS302C71 | Centralized Controller | No |
| DST301BA61 | Schedule Timer | No |
| DTST-LTE-LA-A | Daikin One Lite (with Translation Adaptor for S21 only) | No |
| DTST-ONE-ADA-A | Daikin One+ Smart Thermostat for VRV, SkyAir, Single- and Multi-Zone System | No |
| KAF970A46 | Titanium apatite photocatalytic air-purifying filter WITHOUT frame | No |
| KKF910A4 | Loss Prevention Chain for Wireless Controller / Holder | No |
| KRP413AB1S | RA Adaptor PCB for Time Clock | No |
| KRP928BB2S | RA Interface Adaptor for DIII-Net - | No |